

Certificates for Thomas Jimenez

Basic Information

First Name	Thomas
Last Name	Jimenez
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D06 - Visalia Field Laboratory	Shoaib Ahmed	8530 West Roosevelt Avenue, Visalia, CA 93291	6	Lab 1
CT D06 - Bakersfield Field Laboratory	Kulwinder Rai	1824 Norris Road, Bakersfield, CA 93308	6	Lab 2

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 547 Bridge Profilograph	2022-10-21	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy