

## Certificates for Javier Gonzalez

### Basic Information

<b>First Name</b>	Javier
<b>Last Name</b>	Gonzalez
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
District 5 Prunedale Construction	David Gleffe	8115 Prunedale North Rd, Prunedale, CA 93907	5	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-07-11	Expired	Jeff Rush	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2021-09-14	Expired	Richard Hibbard	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-07-11	Expired	Jeff Rush	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					