

## Certificates for Rocco Brunetti

### Basic Information

<b>First Name</b>	Rocco
<b>Last Name</b>	Brunetti
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Atlas	Darren Hicks	9085 Aero Drive, Suite B, San Diego, CA 92123	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-06-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2019-06-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-06-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-06-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-06-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-06-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-06-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-06-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-06-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-06-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2021-06-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-06-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					