

Certificates for Casey Riley

Basic Information

First Name	Casey
Last Name	Riley
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Humboldt County Materials Laboratory	Brian Meyer	931 2nd Street, Eureka, CA 95501	1	Lab 1

Test Methods

California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2026-07-12	Active	Alexis England	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-07-12	Active	Alexis England	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2025-07-12	Active	Alexis England	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-07-12	Active	Alexis England	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2025-07-12	Active	Alexis England	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-06-11	Expired	Loren Lee	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-02-09	Active	David Medina	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-02-09	Active	David Medina	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-07-12	Active	Loren Lee	Lab 1	Created based on CT521 certificate ID60252
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-07-12	Active	Loren Lee	Lab 1	Created based on CT521 certificate ID60252
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-02-09	Active	David Medina	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-02-09	Active	David Medina	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-02-09	Active	David Medina	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-02-09	Active	David Medina	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-02-09	Active	David Medina	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-02-09	Active	David Medina	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2025-07-12	Active	Alexis England	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-04-21	Active	Gabriela Lopez	Lab 1	(No comments)

Unofficial Copy