

Certificates for Steven Cabral

Basic Information

First Name	Steven
Last Name	Cabral
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
----------	----------------------	--------------	------------------	------------

No results found.

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-08-06	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-08-06	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2019-08-06	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-08-06	Expired	Seree Yenjai	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-02-01	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID50306
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-02-01	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID50306
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-02-01	Expired	Seree Yenjai	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-02-01	Expired	Seree Yenjai	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					