

Certificates for Justin May

Basic Information

First Name	Justin
Last Name	May
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Granite Construction Arvin Laboratory/ Solari Plant	Corina Wong	8999 Capacity St, Arvin, CA 93203	6	Lab 1
Granite Construction Co. (Big Rock)	James Hancock	34809 155th street East, Llano, CA 93544	7	Lab 2
Granite Construction	James Hancock	999 Mission Rock Road, Santa Paula, CA 93060	7	Lab 3

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-30	Expired	Pedro Reyes	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-08-19	Active	Rabiul Hyder	(No lab)	Data system does not allow 3 years certification. Manually input 3 years certification.
CT 125 GEN Sampling - GENERAL	2020-07-27	Expired	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-07-30	Expired	Pedro Reyes	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA	2023-08-19	Active	Rabiul Hyder	(No lab)	Data system does not allow three years certification. Manually input 3 years certification
CT 231 Relative Compaction - Nuclear Gage	2024-08-19	Active	Majid Fahrtoosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2024-08-19	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy