

## Certificates for Oscar Robledo

### Basic Information

|                   |         |
|-------------------|---------|
| <b>First Name</b> | Oscar   |
| <b>Last Name</b>  | Robledo |
| <b>Status</b>     | Active  |

### Associated Labs

Total 1 item.

| Lab Name                           | Manager Name | Full Address                        | District | Page Alias |
|------------------------------------|--------------|-------------------------------------|----------|------------|
| Pavement Engineering, Incorporated | Craig Long   | 5702 Marsh Drive, Pacheco, CA 96002 | 4        | Lab 1      |

### Test Methods

#### California Test (CT) Certifications

Total 7 items.

| Test Method                      | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|----------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES | 2023-02-25      | Expired | Loren Lee      | (No lab)            | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments           |
|--|-----------------|---------|----------------|---------------------|--------------------|
| CT 125 BIT Sampling - BITUMINOUS                           | 2023-02-25      | Expired | Loren Lee      | Lab 1               | (No comments)      |
| CT 125 GEN Sampling - GENERAL                              | 2023-02-25      | Expired | Loren Lee      | Lab 1               | (No comments)      |
| CT 125 HMA Sampling - HMA                                  | 2023-02-25      | Expired | Loren Lee      | (No lab)            | (No comments)      |
| CT 231 Relative Compaction - Nuclear Gage                  | 2023-02-25      | Expired | Loren Lee      | (No lab)            | COVID-19 Extension |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I) | 2024-02-25      | Expired | Loren Lee      | (No lab)            | (No comments)      |
| CT 375 AC Density by Nuclear Gage                          | 2023-02-25      | Expired | Loren Lee      | Lab 1               | COVID-19 Extension |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |