

## Certificates for Christine Cannon

### Basic Information

<b>First Name</b>	Christine
<b>Last Name</b>	Cannon
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Coffman Specialties, Incorporated - Mobile Laboratory # TR-894	John Inlow	Mobile Lab located on 1-5 NB near Mott Road on east side of freeway, Mount Shasta, CA 96067	2	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-10-15	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-10-15	Expired	Richard Hibbard	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-10-15	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-10-15	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-10-15	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-10-15	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-10-15	Expired	Richard Hibbard	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					