

## Certificates for David Morales

### Basic Information

<b>First Name</b>	David
<b>Last Name</b>	Morales
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of Southern California	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 30 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-05-19	Active	David Medina	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2027-02-26	Active	Jay Horton	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-05-19	Active	David Medina	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2027-02-26	Active	Jay Horton	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2027-02-26	Active	Jay Horton	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2027-02-26	Active	Jay Horton	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2027-02-26	Active	Jay Horton	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-05-19	Active	David Medina	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-05-19	Active	David Medina	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-05-19	Active	David Medina	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-05-19	Active	David Medina	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-05-19	Active	David Medina	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-10-14	Expired	Brandt Houchen	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-07-11	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-02-12	Expired	Majid Fahrtosh	Lab 1	Created based on CT521 certificate ID53041
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-02-12	Expired	Majid Fahrtosh	Lab 1	Created based on CT521 certificate ID53041
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-02-12	Expired	Ashley Shaw	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-02-12	Expired	Ashley Shaw	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2022-02-12	Expired	Ashley Shaw	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2029-05-15	Active	Sarmad Dalal	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					