



Certificates for Alexander (DO NOT USE) Delgado

Basic Information

First Name	Alexander (DO NOT USE)
Last Name	Delgado
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **25** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-01-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-01-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-01-18	Expired	Seree Yenjai	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-11-30	Expired	Richard Hibbard	(No lab)	(No comments)
CT 301 "R" Value	2020-02-25	Expired	Seree Yenjai	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2021-01-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-01-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-02-10	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-02-10	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-01-24	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID55337

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-01-24	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID55337
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-02-10	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-02-10	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-02-10	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-02-10	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-02-10	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					