

Certificates for Juan Rodriguez

Basic Information

First Name	Juan
Last Name	Rodriguez
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Southwest Inspection and Testing, Incorporated	Errol Asayas	441 Commercial Way, La Habra, CA 90631	7	Lab 1

Test Methods

California Test (CT) Certifications

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-10-24	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID53259
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-10-24	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID53259
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-10-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-10-24	Expired	Seree Yenjai	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-04-08	Active	Dalton LaBoskey	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					