

Certificates for Alexander Morales

Basic Information

First Name	Alexander
Last Name	Morales
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Landmark Consultants	Julian Avalos	740 North 4th Street, El Centro, CA 92243	11	Lab 1

Test Methods

California Test (CT) Certifications

Total **26** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2017-12-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2017-12-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-08-09	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-08-09	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2017-12-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-12-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 211 LA Rattler	2019-08-08	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2019-08-08	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 213 Organic Impurities of PCC sand	2019-08-08	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-12-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-12-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-12-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-12-31	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-12-31	Expired	Richard Hibbard	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-08-23	Active	Afsaneh Ostovar	(No lab)	Created based on CT521 certificate ID51805

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-08-23	Active	Afsaneh Ostovar	(No lab)	Created based on CT521 certificate ID51805
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-12-31	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-12-31	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-12-31	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-12-31	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-12-31	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					