

Certificates for ZIA_test Tester

Basic Information

First Name	ZIA_test
Last Name	Tester
Status	Inactive

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-03-15	Incomplete	Robby Rodriguez	(No lab)	passed written 2nd try
CT 106 Definitions - Specific Gravity (SpG)	2023-11-08	Expired	Martiniano Ruiz	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2023-11-09	Expired	Robby Rodriguez	(No lab)	had to use future date to give 3yr cert.
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-01-02	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-11-09	Expired	Robby Rodriguez	(No lab)	had to lie to make it work
CT 125 CEM Sampling - CEM	2024-10-18	Active	Robby Rodriguez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	passed 105..ia74

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	passed written 2nd try 3-22-24
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2027-03-15	Active	Robby Rodriguez	(No lab)	testing a theory
CT 231 Relative Compaction - Nuclear Gage	2023-05-20	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-09-24	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-08-10	Revoked	Robby Rodriguez	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-08-10	Active	Martiniano Ruiz	(No lab)	this is not automatically given yet.
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-08-10	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-08-10	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-08-10	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2022-09-10	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-08-10	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-08-10	Active	Martiniano Ruiz	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 643 Resistivity and pH Measurements	2024-08-11	Suspended	Robby Rodriguez	(No lab)	to show richard

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-04-19	Incomplete	Robby Rodriguez	(No lab)	(No comments)

Unofficial Copy