

Certificates for Jose Luis Alonso

Basic Information

First Name	Jose
Last Name	Luis Alonso
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Pavement Engineering, Inc.	Craig Long	20260 Skypark Drive, Redding, CA 96002	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2020-11-01	Expired	David Small	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-03-04	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-02-09	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-03-04	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2023-03-04	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-02-09	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-02-09	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-07-30	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-07-30	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-07-30	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-07-30	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-07-30	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-07-30	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-07-30	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-02-20	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-02-20	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-02-20	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-02-20	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-02-20	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-08-16	Active	Sarbjit Grewal	Lab 1	(No comments)

Unofficial Copy