

Certificates for Nicholas Lee

Basic Information

First Name	Nicholas
Last Name	Lee
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Terracon Consultants, Incorporated	Ben Smith	50 Goldenland Court, Suite 100, Sacramento, CA 95834	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 227 Cleanness Value (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-11-17	Expired	Jackie Treat	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-02-06	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-02-06	Expired	Richard Hibbard	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-02-06	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-02-06	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-02-06	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-02-06	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-02-06	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Unofficial Copy