

Certificates for Robert Trejo

Basic Information

First Name	Robert
Last Name	Trejo
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-05-28	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2020-05-28	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-03-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-03-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-03-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-03-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-03-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-03-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2020-03-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-11-19	Active	Avinash Ralla	(No lab)	(No comments)