

Certificates for Triston Netherton

Basic Information

| | |
|-------------------|-----------|
| First Name | Triston |
| Last Name | Netherton |
| Status | Active |

Associated Labs

Total 2 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|--------------------------|---------------|--|----------|------------|
| Sierra Pacific Materials | Michael Davis | 45315 Lost Hills Road, Coalinga, CA 93210 | 6 | Lab 1 |
| SPM-Templeton | Michael Daivs | 425 Vopli Ysabel, Paso Robles, CA 93446 | 5 | Lab 2 |

Test Methods

California Test (CT) Certifications

Total 12 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 2 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2024-10-15 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |

AASHTO/ASTM Proficiencies

Total 16 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------------|---------------------|------------------|
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| AASHTO T84 SpG & Absorption - Fine Aggregates | 2022-09-10 | Active | Martiniano Ruiz | Lab 1, Lab 2 | (No comments) |
| AASHTO T85 SpG & Absorption - Coarse Aggregates | 2022-09-10 | Active | Martiniano Ruiz | Lab 1, Lab 2 | (No comments) |
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II) | 2022-08-08 | Expired | Shaya Meisamifard | Lab 1 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II) | 2022-08-08 | Expired | Shaya Meisamifard | Lab 1 | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-------------------|---------------------|---------------|
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II) | 2022-08-08 | Expired | Shaya Meisamifard | Lab 1 | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II) | 2022-08-08 | Expired | Shaya Meisamifard | Lab 1 | (No comments) |
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II) | 2022-08-08 | Expired | Shaya Meisamifard | Lab 1, Lab 2 | (No comments) |
| AASHTO T312 Gyrotory Compactor | 2023-05-21 | Active | Martiniano Ruiz | Lab 1 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I) | 2025-03-18 | Active | Avinash Ralla | Lab 1, Lab 2 | (No comments) |