

Certificates for Jose Torres

Basic Information

First Name	Jose
Last Name	Torres
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D08 - Fontana Southern Regional Laboratory	Ron Longazo	13970 Victoria Street, Fontana, CA 92336	8	Lab 1
CT D08 - Construction		, , CA	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2018-04-07	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-04-07	Expired	Robby Rodriguez	Lab 1	IA74- orig cert acquired on 4-6-2017. SIAD doesn't allow a 1 year for this test. Had to back date "Obtained Date" to make expiration correct.
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-04-07	Expired	Robby Rodriguez	Lab 1	IA74- orig cert acquired on 4-6-2017. SIAD doesn't allow a 1 year for this test. Had to back date "Obtained Date" to make expiration correct.
CT 557 Temperature - PCC (JTCP - PCC)	2018-04-07	Expired	Robby Rodriguez	Lab 1	IA74- orig cert acquired on 4-6-2017. SIAD doesn't allow a 1 year for this test. Had to back date "Obtained Date" to make expiration correct.

AASHTO/ASTM Proficiencies



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy