

Certificates for Aaron Almanza

Basic Information

First Name	Aaron
Last Name	Almanza
Status	Active

Associated Labs

Total **3** items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated - Box Truck #1 License Plate # 22MKBM	Matthew Ramos	1174 National Drive, Suite 10, Sacramento, CA 95834	3	Lab 1
G3 Quality, Incorporated - Sacramento	Travis Van-Y	1174 National Drive, Suite 10, Sacramento, CA 95834	3	Lab 2
G3 Quality, Inc. - Mobile Lab 3	Mike Stacks	1174 National Drive, Suite 10, Sacramento, CA 95834	3	Lab 3

Test Methods

California Test (CT) Certifications

Total **31** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-03	Active	Gabriela Lopez	Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2022-08-02	Expired	Jackie Treat	Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2022-08-02	Expired	Jackie Treat	Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2024-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA	2024-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-12-13	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 301 "R" Value	2022-12-22	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2024-12-13	Active	Sarbjit Grewal	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-11-03	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-11-03	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-12-13	Active	Jackie Treat	Lab 2, Lab 3	Created based on CT521 certificate ID60757
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-12-13	Active	Jackie Treat	Lab 2, Lab 3	Created based on CT521 certificate ID60757
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-04-29	Expired	Jackie Treat	Lab 2, Lab 3	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-12-13	Active	Sarbjit Grewal	Lab 2, Lab 3	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 533 Ball Penetration - PCC	2024-12-13	Active	Sarbjit Grewal	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-11-03	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-11-03	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-11-03	Expired	Jasdeep Sandhu	Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-11-03	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-11-03	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					