

Certificates for Mario Sanchez

Basic Information

First Name	Mario
Last Name	Sanchez
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Inc.	Matthew Ramos	13850 Cerritos Corporate Dr., Unit E, Cerritos, CA 90703	7	Lab 1
G3 Quality, Inc. - Project Lab #1	Matthew Ramos	RTE 10/ RTE 15 Interchange, Ontario, CA 91761	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 29 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-10-28	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-10-28	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2020-10-28	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2020-10-28	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-10-28	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2022-10-06	Active	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2022-10-18	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-10-06	Active	Majid Fahrtosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2022-10-06	Active	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-11-05	Expired	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-10-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-11-05	Expired	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2021-11-05	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-04-29	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					