

Certificates for Efran Cano

Basic Information

First Name	Efran
Last Name	Cano
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5-Holdrege & Kull	Michelle Holub	792 Searls Ave., Nevada City, CA 95959	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-10-31	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-10-31	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-03-02	Active	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-03-02	Active	Jackie Treat	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-10-31	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-10-31	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-10-31	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2022-03-02	Expired	Jackie Treat	Lab 1	(No comments)
CT 541 Flow Cone	2022-03-02	Expired	Jackie Treat	Lab 1	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2022-03-02	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy