

Certificates for John G. Martinez

Basic Information

First Name	John G.
Last Name	Martinez
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-10-31	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-10-31	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-10-31	Expired	Jessaneil Perez	(No lab)	Created based on CT521 certificate ID53234
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-10-31	Expired	Jessaneil Perez	(No lab)	Created based on CT521 certificate ID53234
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-10-31	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-10-31	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-10-31	Expired	Jessaneil Perez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					