

Certificates for Garrett Tolari

Basic Information

First Name	Garrett
Last Name	Tolari
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-02	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-10-05	Expired	Maryam Shahbazi	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-06-02	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2022-09-28	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-09-28	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2022-09-28	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-09-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-09-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-09-15	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-06-02	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-10-05	Expired	Maryam Shahbazi	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2022-09-28	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-09-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-09-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-09-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-09-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-09-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					