

Certificates for Aaron Gadow

Basic Information

First Name	Aaron
Last Name	Gadow
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
City of Fairfield	Roger Dunham	420 Gregory Street, Fairfield, CA 94533	4	Lab 1

Test Methods

California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-10-15	Active	Benjamin Martinez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-10-15	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-04-06	Active	David Small	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-09-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-09-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-09-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-09-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-09-29	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-09-29	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-09-29	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					



Unofficial Copy