

## Certificates for Jonathan Rodriguez

### Basic Information

<b>First Name</b>	Jonathan
<b>Last Name</b>	Rodriguez
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Martin Marietta - Fresno	Sergio Vazquez	2095 East Central Avenue, Fresno, CA 93725	6	Lab 1
Martin Marietta - Visalia	Nathan Shwiyhat	29779 Road 68, Visalia, CA 93291	6	Lab 2

### Test Methods

### California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 106 Definitions - Specific Gravity (SpG)	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 125 BIT Sampling - BITUMINOUS	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 211 LA Rattler	2024-05-23	Active	Ed Gamboa	Lab 2	Tester is associated with Visalia Lab 1751.
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	Tester is associated with Visalia Lab 1751.
CT 217 Sand Equivalent (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 227 Cleanness Value (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 229 Durability (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 234 Uncompacted void - Fine Aggregates	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 235 Flat and Elongated Particles	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Adjusted date obtained to match date HMA I was taken.
CT 309 Max SpG and Density - HMA	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
CT 382 AC Content by Ignition Oven	2024-05-23	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-05-26	Active	Ed Gamboa	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-05-26	Active	Ed Gamboa	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T96 L.A. Rattler	2024-05-23	Active	Ed Gamboa	Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-05-23	Active	Ed Gamboa	(No lab)	Tester is associated with Visalia Lab 1751.
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.
AASHTO T312 Gyratory Compactor	2024-05-23	Active	Ed Gamboa	Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	Tester is associated with Visalia Lab 1751.