

Certificates for Cameron Yong

Basic Information

| | |
|-------------------|---------|
| First Name | Cameron |
| Last Name | Yong |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. | | | | |

Test Methods

California Test (CT) Certifications

Total 11 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---------------------|------------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2021-11-30 | Expired | Richard Hibbard | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage | 2022-03-09 | Expired | Ashley Shaw | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |

Unofficial Copy