Certificates for Mark Attarian

Basic Information

First Name	Mark
Last Name	Attarian
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **22** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-04-16	Expired	Loren Lee	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-04-16	Expired	Loren Lee	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-03-26	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-03-26	Expired	Loren Lee	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2022-06-07	Expired	Chad Claxton	(No lab)	Opt out of CSP 217
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-11-16	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-11-16	Expired	Richard Hibbard	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-11-16	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-11-16	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-11-16	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-11-16	Expired	Richard Hibbard	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2023-11-16	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **8** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-06-14	Expired	Shaya Meisamifard	(No lab)	(No comments)

Unofficial Copy