

## Certificates for Ben Jimenez

### Basic Information

|                   |         |
|-------------------|---------|
| <b>First Name</b> | Ben     |
| <b>Last Name</b>  | Jimenez |
| <b>Status</b>     | Active  |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 4 items.

| Test Method  | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments                                   |
|--|-----------------|---------|----------------|---------------------|--|
| CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231) | 2019-12-20      | Expired | Seree Yenjai   | (No lab)            | Created based on CT521 certificate ID54566 |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments                                   |
|---|-----------------|---------|----------------|---------------------|--|
| CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)                         | 2019-12-20      | Expired | Seree Yenjai   | (No lab)            | Created based on CT521 certificate ID54566 |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2019-12-20      | Expired | Seree Yenjai   | (No lab)            | (No comments)                              |
| CT 523.2 Section B.3 Flexural Strength (Lab Test)                             | 2019-12-20      | Expired | Seree Yenjai   | (No lab)            | (No comments)                              |

### AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |