

## Certificates for Juan Salazar

### Basic Information

|                   |         |
|-------------------|---------|
| <b>First Name</b> | Juan    |
| <b>Last Name</b>  | Salazar |
| <b>Status</b>     | Active  |

### Associated Labs

Total **1** item.

| Lab Name                          | Manager Name     | Full Address                              | District | Page Alias |
|-----------------------------------|------------------|-------------------------------------------|----------|------------|
| Krazan & Associates, Incorporated | Lance Merrifield | 2205 Coy Avenue,<br>Bakersfield, CA 93307 | 6        | Lab 1      |

### Test Methods

### California Test (CT) Certifications

Total **7** items.

| Test Method                                              | Expiration Date | Status  | IA Responsible      | Within Lab(s) Scope | Comments      |
|----------------------------------------------------------|-----------------|---------|---------------------|---------------------|---------------|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2023-11-10      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |

| Test Method                                                | Expiration Date | Status  | IA Responsible      | Within Lab(s) Scope | Comments      |
|------------------------------------------------------------|-----------------|---------|---------------------|---------------------|---------------|
| CT 518 Unit Weight - PCC (JTCP - PCC)                      | 2023-11-10      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                | 2023-11-10      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC)                 | 2023-11-10      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2023-11-10      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                            | 2023-11-10      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                      | 2023-11-10      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |