

Certificates for Gavin Villanueva

Basic Information

| | |
|-------------------|------------|
| First Name | Gavin |
| Last Name | Villanueva |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|--|-----------------|---------------------------------------|----------|------------|
| AME - Applied Materials & Engineering, Inc | Mohammed Faiyaz | 980 41st Street, Oakland, CA 94608 | 4 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 13 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES | 2024-04-20 | Active | David Small | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|--------|----------------|---------------------|---------------|
| CT 125 BIT Sampling - BITUMINOUS | 2024-04-20 | Active | David Small | Lab 1 | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2024-04-20 | Active | David Small | Lab 1 | (No comments) |
| CT 125 HMA Sampling - HMA | 2024-04-20 | Active | David Small | Lab 1 | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2024-04-20 | Active | David Small | Lab 1 | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2024-04-20 | Active | David Small | Lab 1 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2025-11-13 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2025-11-13 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2025-11-13 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2025-11-13 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2025-11-13 | Active | Sarbjit Grewal | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|--------|----------------|---------------------|---------------|
| CT 556 Slump - PCC (JTCP - PCC) | 2025-11-13 | Active | Sarbjit Grewal | Lab 1 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2025-11-13 | Active | Sarbjit Grewal | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |