Certificates for Roberto Alderete

Basic Information

First Name	Roberto
Last Name	Alderete
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **21** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-08-23	Expired	Matthew Chew	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-08-23	Expired	Matthew Chew	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2022-09-20	Expired	Husam Makhoul	(No lab)	CSP suspension on 06/03/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-09-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-08-23	Expired	Matthew Chew	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-08-23	Expired	Matthew Chew	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-02-06	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-02-06	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-02-06	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-02-06	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-02-06	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-02-06	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-02-06	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy