

Certificates for Daniel E Jimenez

Basic Information

First Name	Daniel E
Last Name	Jimenez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder	Uly Panuncialman	5761 Copley Drive, Suite 100, San Diego, CA 92111	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-08-04	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-08-04	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-06-07	Expired	Rabiul Hyder	Lab 1	Created based on CT521 certificate ID74646
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-06-07	Expired	Rabiul Hyder	Lab 1	Created based on CT521 certificate ID74646
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-06-07	Expired	Rabiul Hyder	Lab 1	ACI Equiv added to match correct expiration date - IA74
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-06-07	Expired	Rabiul Hyder	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-06-07	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2022-06-07	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-08-04	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-08-04	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-08-04	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-08-04	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-08-04	Expired	Jasdeep Sandhu	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					