

Certificates for Omid Koohi

Basic Information

| | |
|-------------------|--------|
| First Name | Omid |
| Last Name | Koohi |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. | | | | |

Test Methods

California Test (CT) Certifications

Total **18** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|--------------------|---------------------|------------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|-----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2025-02-11 | Active | Soroosh Amelian | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---------------------|---------------|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2024-01-19 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2024-01-19 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2024-01-19 | Expired | Dalton LaBoskey | (No lab) | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2024-01-19 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2024-01-19 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2024-01-19 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2024-01-19 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2024-01-19 | Expired | Jasdeep Sandhu | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. | | | | | |

Unofficial Copy