

Certificates for Tyler Witte

Basic Information

First Name	Tyler
Last Name	Witte
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-01-17	Expired	Ashley Shaw	(No lab)	Requested to not participate in the 202 CSP. Contact CSP@dot.ca.gov to reinstate
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-02-08	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2023-01-17	Suspended	Ashley Shaw	(No lab)	Non participation in 217 CSP in 2021. Contact CSP@dot.ca.gov to reinstate
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-01-31	Expired	Ashley Shaw	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2023-01-31	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-05-05	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-05-05	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-02-08	Expired	Afsaneh Ostovar	(No lab)	Created based on CT521 certificate ID55180
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-02-08	Expired	Afsaneh Ostovar	(No lab)	Created based on CT521 certificate ID55180
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-02-08	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-02-08	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-02-08	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-05-05	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-05-05	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-05-05	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-05-05	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-05-05	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					