Certificates for Manuel Sahagun

Basic Information

First Name	Manuel
Last Name	Sahagun
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D04 - Construction		, , CA	4	Lab 1

Test Methods

California Test (CT) Certifications

Total **9** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-02-01	Expired	Paula Kindinger-Wilcox	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-01-26	Active	Alexis England	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-02-01	Expired	Paula Kindinger-Wilcox	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2025-01-26	Active	Alexis England	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-11-30	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-11-30	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-11-30	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-11-30	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-11-30	Expired	Dalton LaBoskey	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy