

Certificates for Matt McCoy

Basic Information

First Name	Matt
Last Name	McCoy
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geolabs Westlake Village	Larry Stark	3595 Old Conejo Road, Thousand Oaks, CA 91320	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-01-25	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2025-01-25	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-01-25	Active	Ashley Shaw	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-01-04	Active	Ashley Shaw	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2026-01-04	Active	Ashley Shaw	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-02-03	Expired	Majid Fahrtoosh	Lab 1	Created based on CT521 certificate ID64687
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-02-03	Expired	Majid Fahrtoosh	Lab 1	Created based on CT521 certificate ID64687

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					