

Certificates for Michael Lozano

Basic Information

First Name	Michael
Last Name	Lozano
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Aragón Geotech, Inc.	Carlos Fernando Aragon	16801 Van Buren Blvd., Riverside, CA 92504	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-02-21	Expired	David Jones	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-12-22	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-02-10	Active	Rabiul Hyder	Lab 1	IA#136
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-02-21	Expired	David Jones	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-12-22	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-02-10	Active	Rabiul Hyder	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-02-10	Active	Rabiul Hyder	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					