

Certificates for Alexis Balandra

Basic Information

First Name	Alexis
Last Name	Balandra
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-09-23	Expired	Majid Fahrtoosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-09-23	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-09-23	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 211 LA Rattler	2022-11-10	Expired	Majid Fehrtosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-09-23	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2023-09-23	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2022-12-09	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2022-12-09	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2022-12-09	Expired	Majid Fehrtosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-10-01	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-10-01	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-04-10	Expired	Brandt Houchen	(No lab)	Created based on CT521 certificate ID58027
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-04-10	Expired	Brandt Houchen	(No lab)	Created based on CT521 certificate ID58027
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-04-10	Expired	Brandt Houchen	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-04-10	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-04-10	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-10-01	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-10-01	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-10-01	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-10-01	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-10-01	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-12-09	Expired	Majid Fahrtoosh	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-12-09	Expired	Majid Fahrtoosh	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2022-11-10	Expired	Majid Fahrtoosh	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-03-11	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-03-11	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-03-11	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-03-11	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2022-12-09	Expired	Majid Fahrtoosh	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-03-11	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2021-11-10	Expired	Majid Fahrtoosh	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-12-09	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2022-12-09	Expired	Majid Fahrtoosh	(No lab)	(No comments)