

Certificates for Ramy Mekail

Basic Information

First Name	Ramy
Last Name	Mekail
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans Acceptance Const. Hesperia	KaushalKumar G. Talati	15255 Bear Valley Rd, Hesperia, CA 92345	8	Lab 1
Southern Regional Laboratory	Ron Longazo	13970 Victoria St, Fontana, CA 92336	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-03-04	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-03-04	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2025-03-04	Active	Avinash Ralla	Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-08-26	Active	Chad Claxton	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-06-07	Active	Robby Rodriguez	Lab 2	Had to alter the obtained date to output correct expiration date on TL111.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-08-26	Active	Chad Claxton	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2022-08-26	Active	Chad Claxton	Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-06-27	Active	Shaya Meisamifard	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-06-27	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-06-27	Active	Shaya Meisamifard	Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-06-27	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-06-27	Active	Shaya Meisamifard	Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)