

Certificates for Kevin Chien

Basic Information

First Name	Kevin
Last Name	Chien
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Consolidated Engineering Laboratories	Wilson Ye	534 23rd Ave, Oakland, CA 94606	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2022-05-31	Expired	David Small	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 227 Cleanness Value (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-03-08	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 301 "R" Value	2023-02-24	Active	David Small	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 366 Stabilometer	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2022-02-17	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-02-17	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-02-17	Expired	Ignocencio Herrera	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy