

## Certificates for Shaya Meisamifard

### Basic Information

<b>First Name</b>	Shaya
<b>Last Name</b>	Meisamifard
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-12-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-12-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-12-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-12-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-12-15	Suspended	Robby Rodriguez	(No lab)	Opted out
CT 217 Sand Equivalent (JTCP - S&A)	2026-12-15	Active	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-12-15	Active	Robby Rodriguez	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-12-15	Suspended	Robby Rodriguez	(No lab)	Opted out
CT 229 Durability (JTCP - S&A)	2026-12-15	Suspended	Robby Rodriguez	(No lab)	Opted out
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-02-01	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-02-01	Expired	Richard Hibbard	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-02-01	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-02-01	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-02-01	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-02-01	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2024-02-01	Expired	Richard Hibbard	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-04-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-04-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-04-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-04-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-04-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-03-15	Expired	Robby Rodriguez	(No lab)	(No comments)