

## Certificates for Jimmy Montana

### Basic Information

<b>First Name</b>	Jimmy
<b>Last Name</b>	Montana
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-05-08	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 211 LA Rattler	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-05-10	Expired	Alexis England	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2024-05-10	Expired	Alexis England	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2023-05-20	Expired	Loren Lee	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2024-05-10	Expired	Alexis England	(No lab)	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2024-05-10	Expired	Alexis England	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy