

Certificates for Steven Brunner

Basic Information

First Name	Steven
Last Name	Brunner
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Orange Materials Laboratory	Vinh Tran	1152 East Fruit Street, Santa Ana, CA 92701	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2025-06-12	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 227 Cleanness Value (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2027-01-10	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-03-18	Active	Ashley Shaw	Lab 1	(No comments)
CT 301 "R" Value	2025-02-08	Active	Ashley Shaw	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2024-10-13	Active	Ashley Shaw	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-10-13	Active	Ashley Shaw	Lab 1	(No comments)
CT 366 Stabilometer	2024-10-13	Active	Ashley Shaw	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2026-03-18	Active	Ashley Shaw	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-10-13	Active	Ashley Shaw	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-02-08	Active	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID57412

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-02-08	Active	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID57412

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy