

## Certificates for Dean Hernandez

### Basic Information

|                   |           |
|-------------------|-----------|
| <b>First Name</b> | Dean      |
| <b>Last Name</b>  | Hernandez |
| <b>Status</b>     | Active    |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 14 items.

| Test Method   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 105 Calculations -<br>Gradings (JTCP - HMA I<br>/ S&A) | 2025-04-29      | Active | Avinash Ralla  | (No lab)            | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments   |
|---|-----------------|---------|----------------|---------------------|--|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2025-04-29      | Active  | Avinash Ralla  | (No lab)            | (No comments)                                      |
| CT 125 GEN Sampling - GENERAL                                   | 2023-07-10      | Expired | Ashley Shaw    | (No lab)            | Date adjusted to reflect and three year cert IA 68 |
| CT 125 HMA Sampling - HMA                                       | 2023-07-10      | Expired | Ashley Shaw    | (No lab)            | Date adjusted to reflect a three year cert IA 68   |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2025-04-29      | Active  | Avinash Ralla  | (No lab)            | (No comments)                                      |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2025-04-29      | Active  | Avinash Ralla  | (No lab)            | (No comments)                                      |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2025-04-29      | Active  | Avinash Ralla  | (No lab)            | (No comments)                                      |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2025-04-29      | Active  | Avinash Ralla  | (No lab)            | (No comments)                                      |

| Test Method   | Expiration Date | Status  | IA Responsible   | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|------------------|---------------------|---------------|
| CT 217 Sand Equivalent (JTCP - S&A)                         | 2025-04-29      | Active  | Avinash Ralla    | (No lab)            | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2025-04-29      | Active  | Avinash Ralla    | (No lab)            | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                         | 2025-04-29      | Active  | Avinash Ralla    | (No lab)            | (No comments) |
| CT 229 Durability (JTCP - S&A)                              | 2025-04-29      | Active  | Avinash Ralla    | (No lab)            | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage                   | 2024-05-19      | Expired | Roy(Chip) Denner | (No lab)            | (No comments) |
| CT 375 AC Density by Nuclear Gage                           | 2024-05-19      | Expired | Roy(Chip) Denner | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |