

Certificates for Brennan Williams

Basic Information

| | |
|-------------------|----------|
| First Name | Brennan |
| Last Name | Williams |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|----------|--------------|---|----------|------------|
| Geocon | Jeremy Zorne | 3160 Gold Valley Drive, Suite 800, Rancho Cordova, CA 95742 | 3 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 8 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage | 2020-04-05 | Expired | Bomasur Banzon | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2024-03-09 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2024-03-09 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2024-03-09 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2024-03-09 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2024-03-09 | Expired | Jackie Treat | (No lab) | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2024-03-09 | Expired | Jackie Treat | Lab 1 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2024-03-09 | Expired | Jackie Treat | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |