

Certificates for Aemero Hailemichael

Basic Information

First Name	Aemero
Last Name	Hailemichael
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-03-08	Active	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-03-08	Active	Jasdeep Sandhu	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-03-08	Active	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-03-08	Active	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-03-08	Active	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-03-08	Active	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-03-08	Active	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **8** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	(No lab)	(No comments)

Unofficial Copy