

Certificates for Purvi Shah

Basic Information

First Name	Purvi
Last Name	Shah
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans Pleasanton Lab	Dennis Yeung	5675 Gibraltar Dr., Pleasanton, CA 94588	4	Lab 1
Caltrans San Jose Field lab	Gurind Joshi	1007 Knox Avenue, San Jose, CA 95122	4	Lab 2

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-05-10	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2021-05-10	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2021-05-10	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2022-09-20	Active	Shaya Meisamifard	Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-07-21	Active	David Small	Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-04-02	Active	David Small	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-04-02	Active	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2023-04-02	Active	David Small	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-09-09	Active	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-11-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-11-07	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-11-07	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-11-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-11-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	(No lab)	(No comments)

Unofficial Copy