

## Certificates for Selvendran Manoharan

### Basic Information

|                   |            |
|-------------------|------------|
| <b>First Name</b> | Selvendran |
| <b>Last Name</b>  | Manoharan  |
| <b>Status</b>     | Active     |

### Associated Labs

Total 1 item.

| Lab Name                                      | Manager Name  | Full Address                              | District | Page Alias |
|---|---------------|---|----------|------------|
| CT D03 - Yuba City<br>Construction Laboratory | Walter Wyllie | 379 Colusa Avenue,<br>Yuba City, CA 95991 | 3        | Lab 1      |

### Test Methods

#### California Test (CT) Certifications

Total 3 items.

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments         |
|---|-----------------|---------|----------------|---------------------|------------------|
| CT 125 AGG Sampling -<br>AGGREGATES (JTCP -<br>HMA I / S&A) | 2022-04-26      | Expired | Jackie Treat   | Lab 1               | (No<br>comments) |

| Test Method                              | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 125 GEN Sampling - GENERAL            | 2021-04-26      | Expired | Jackie Treat   | Lab 1               | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2022-04-26      | Expired | Jackie Treat   | Lab 1               | (No comments) |

### AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |