

Certificates for Larry Hiland

Basic Information

First Name	Larry
Last Name	Hiland
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **13** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-03-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-03-12	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2021-03-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-03-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-03-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-03-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-29	Active	Jackie Treat	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-29	Active	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-29	Active	Jackie Treat	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-29	Active	Jackie Treat	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-29	Active	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-29	Active	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-29	Active	Jackie Treat	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					