

Certificates for Sonny Widjaja

Basic Information

First Name	Sonny
Last Name	Widjaja
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
John R. Byerly, Incorporated	Sonny Widjaja	2257 South Lilac Avenue, Bloomington, CA 92316	8	Lab 1

Test Methods

California Test (CT) Certifications

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)